THE TOHOKU JOURNAL OF EXPERIMENTAL MEDICINE

Volume 160

January — April 1990

EDITORIAL BOARD

N. TAIRA (Sendai)
Editor-in-Chief

S. FUJIMURA (Sendai)
K. HARUMI (Tokyo)
N. HAYASHI (Sendai)
M. HOMMA (Kobe)
M. IMAI (Tokyo)
Y. IWASAKI (Sendai)
T. KISHIMOTO (Osaka)
K. KOGURE (Sendai)
K. NARISAWA (Sendai)
T. OGIHARA (Osaka)
H. SATO (Sendai)
T. TABIRA (Tokyo)
T. TACHIBANA (Sendai)
H. TAGAMI (Sendai)
F. TAKAKU (Tokyo)
T. TAKISHIMA (Sendai)
T. TOYOTA (Sendai)
J. UCHINO (Sapporo)
Y. WADA (Nagoya)
H. WAKASA (Fukushima)
H. WATANABE (Kyoto)

PUBLISHED BY

TOHOKU UNIVERSITY MEDICAL PRESS

SENDAI, JAPAN

CONTENTS

Vol. 160, No. 1, September 1999

Continuous positive airway pressure breathing in supine and upright postures. *T. Kurata, T. Kondo, Y. Hayashi, Y. Ohta and H. Yamabayashi* 1

Possible urban-rural difference in habitus of school children in Sendai. *H. Nakatsuka, H. Satoh, T. Watanabe and M. Ikeda* 11

Induction of recurrent glomerulitis with accentuated glomerular lobulation by intermittent repetition of unilateral Masugi nephritis. *S. Shoji and T. Fujimoto* 19

Community people's preference of hand drawn face graph as a health informing device. *M. Moriyama, S. Matsubara, H. Saito and K. Iwata* 37

Changes of mercury contents in hair of Chinese scholars after they came to Japan. *W. Chen* 47

Changes in the mixed venous blood oxygen saturation during the acute phase of myocardial infarction and administration of dobutamine. *T. Koeda, K. Amano, T. Ichikawa, T. Suzuki, M. Ishikawa, M. Sato, S. Miura, T. Suzuki and M. Kato* 55

Increase in colony stimulating factor (CSF) in serum and augmentation of CSF responsiveness of lymphoid mononuclear cells by acute *Trypanosoma cruzi* infection in mice. *N. Takasu, T. Nishimura, T. Masuko, K. Kato and Y. Hashimoto* 67

Lectin binding of intrahepatic bile ducts and peribiliary glands in normal livers and hepatolithiasis. *K. Saito and Y. Nakanuma* 81

Short Reports

Probable assignment of the dihydropteridine reductase gene to 4p15.31. *S. Sumi, T. Ishikawa, Y. Ito, H. Oishi, K. Asai and Y. Wada* 93

High dose intact-immunoglobulin treatment for an HIV-infected asymptomatic carrier with hemophilia. *Y. Akutsu, K. Mori, S. Suzuki, M. Ishikawa and H. Sakai* 95

Vol. 160, No. 2, October 1990

Chronic toxicity of 2-methyl-4-chlorophenoxyacetic acid (MCPA) in mice. *S. Takagi* 97

Aortic regurgitation: Ventricular response after aortic valve replacement. *K. Tabayashi, M. Sadahiro, G. Yaginuma, Y. Ito, M. Endo, K. Akimoto, Y. Suzuki and H. Mohri* 109

Blood pressure, obesity and urine cation excretion in two populations of the Cook Islands. *K. Katoh, T. Yamauchi and K. Hiraiwa* 117

Localization of renal erythropoietin and the role of Ia antigen expression in

hypoxic rat glomeruli. *Y. Fukushima, M. Yanagisawa, Y. Nakamoto and A.B. Miura* 129

Effect of thyrotropin-releasing hormone (TRH) on motor performance of hemiparetic stroke patients. *R. Nakamura and M. Fujita* 141

T1 and T2 relaxation times on gadolinium-diethylenetriaminepentaacetic acid enhanced magnetic resonance images of brain tumors. *S. Yamada, R. Kubota, K. Yamada, S. Ono, T. Hishinuma, T. Matsuzawa and S. Fujiwara* 145

Effects of OK-432 activation on the sialidase activities of rat peritoneal macrophages. *J. Sagawa, T. Miyagi and S. Tsuiki* 149

Calcium channel blockers reverse the sustained elevation of blood pressure induced by chronic infusion of endothelin in conscious rats. *M. Yasujima, K. Abe, M. Kanazawa, K. Yoshida, M. Sato, K. Takeuchi, K. Tsunoda, K. Kudo, M. Kohzuki, K. Omata, T. Yabe, M. Hiwatari, T. Sato and K. Yoshinaga* 157

Short Report

Co-mutagenic activity of phenoxyherbicides MCPA- and MCPB-ethylester in the Ames assay. *N. Shibuya, T. Ohta, H. Sakai, S. Takagi, J. Magara and M. Yamamoto* 167

Vol. 160, No. 3, November 1990

Concentric electrodes for producing acupuncture-like anesthetic effects. *H. Oda and Y. Fujitani* 169

Apolipoprotein E phenotypes in patients with coronary artery disease. *T. Miida* 177

GHRH and TRH tests in patients with idiopathic and secondary GH deficiency — With special reference to GH response patterns to GHRH —. *K. Hanew, A. Sugawara, A. Utsumi, Y. Shimizu and K. Yoshinaga* 189

Fine assignment of β-hexosaminidase A α-subunit on 15q23-q24 by high resolution in situ hybridization. *K. Takeda, H. Nakai, H. Hagiwara, K. Tada, T.B. Shows, M.G. Byers and R. Myerowitz* 203

Are the clonotypes of serum IgG anti-DNA antibodies associated with lupus nephritis in humans? *A. Hatakeyama, T. Sasaki, T. Muryoi, C. Murai and K. Yoshinaga* 213

Ureteral obstruction decreases ATP dependent H^+-pump activity of rabbit renal outer medulla. *H. Kanemitsu, S. Sasaki, T. Akiba and F. Marumo* 223

Detection of peripheral blood and bronchoalveolar lavage fluid lymphocytes in rat lung transplantation for early diagnosis of rejection. *R. Saito, T. Kondo, S. Fujimura, M. Handa, T. Ichinose and Y. Shiraishi* 231

The effect of long term ethanol intake on the parotid gland in rats. *M. Sasahara, M. Matsuo, G. Kakizaki, T. Aikawa, T. Sato, K. Uejima, A. Yamada, M. Saito and K. Nakamura* 251

A new method for estimating filtration variables in isolated zone 1 rat lung.

T. Tanita, K. Koike, S. Fujimura and N.C. Staub 277

Short Report

Stromelysin synthesizing cells in the synovial tissues of rheumatoid arthritis demonstrated by in situ hybridization and immunohistochemical methods. *T. Sawai, K. Murakami, Y. Ohtani, M. Kurkinnen, M. Kyogoku and M. Hayashi* 285

Vol. 160, No. 4, December 1990

Characterization of protein phosphatases associated with the particulate fraction from rat liver. *K. Kikuchi, S. Tamura, R. Shineha and S. Tsuiki* 287

Apolipoprotein E phenotyping from plasma by isoelectric focusing and immunoblotting. *M. Eto, K. Watanabe, T. Moriyama and I. Makino* 301

HLA antigens on colorectal adenoma and cancer cells. *Y. Horie, M. Chiba, M. Iizuka, K. Igarashi and O. Masamune* 311

Complementary DNA sequence of 3-methylcholanthrene-inducible P-450 from the rat lung. *H. Kikuchi, I. Sagami, H. Fujii, T. Ohmachi and M. Watanabe* 323

Ultrastructural characterization of enterochromaffin-type cells in human gastric carcinoma. *H. Ohtani* 333

Biochemical characterization of the membrane-associated phosphorylating proteins involved in the anti-proliferative effect of human recombinant interferon-alpha 2a (rIFN-α2a) in Daudi cells. *M. Yokoyama, K. Koike, S. Kanno and K. Ohtsuki* 343

Development of monoclonal antibodies against human gastrointestinal cascer. *Y. Kano, K. Nakura, T. Nakane, Y. Ueda, Y. Uemura, K. Yokoyama, H. Ishida, H. Ohyanagi and Y. Saitoh* 361

Acid cholesteryl ester hydrolase activity of mononuclear leukocyte in type 2 (non-insulin-dependent) diabetic patients. *T. Onuma, M. Tsutsui, S. Ochiai, A. Boku, A. Yanada, Y. Hirai, H. Nakahata and K. Takebe* 375

Detection of human papillomavirus DNA in genital condylomata in women and their male partners by using in situ hybridization with digoxygenin labeled probes. *R. Konno, K. Shikano, M. Horiguchi, A. Endo, H. Chiba, N. Yaegashi, S. Sato, H. Yajima, T. Tase and A. Yajima* 383